



[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)



[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



**Product Approval**

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL6420
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Secure Enterprises, LLC
Address/Phone/Email	1540 NW 101 Avenue Plantation, FL 33322 (954) 242-0904 jstumpff2002@yahoo.com
Authorized Signature	Frank Bennardo clangley@flbengineering.com
Technical Representative	Jack Stumpff
Address/Phone/Email	1540 NW 101 Avenue Plantation, FL 33322 (954) 242-0904 jstumpff2002@yahoo.com
Quality Assurance Representative	
Address/Phone/Email	
Category	Exterior Doors
Subcategory	Exterior Door Component Products Introduced as a Result of New Technology
Compliance Method	Test Report
Testing Lab	National Certified Testing Laboratories, Inc.
Quality Assurance Entity	CI Professional Services, Inc.
Validated By	Frank L. Bennardo, P.E.
Certificate of Independence	<a href="#">FL6420_R0_COI_Cert_Indep_NCTL.pdf</a>
Referenced Standard and Year (of Standard)	<b>Standard</b> ASTM E330
	<b>Year</b> 202
Equivalence of Product Standards Certified By	

Product Approval Method	Method 1 Option B
Date Submitted	04/11/2006
Date Validated	04/11/2006
Date Pending FBC Approval	03/14/2006
Date Approved	04/11/2006

Summary of Products		
FL #	Model, Number or Name	Description
6420.1	Series 180 Secure Door	Garage Door Structural Brace (Non-Impact)
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +47.5 /-47.5 Other: Structural reinforcement for sectional garage doors		<b>Installation Instructions</b> <a href="#">FL6420_R0_II_Instln Instrns.pdf</a> Verified By: Frank L. Bennardo, P.E. PE0046549 <b>Test Reports</b> <a href="#">FL6420_R0_TR_Load_Duration_Cert.pdf</a> <a href="#">FL6420_R0_TR_NCTL-210-2064-1 (S).pdf</a>

DCA Administration

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100

(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

**Product Approval Accepts:**

